

BIOFILTER MANUFACTURE OF AZADIRACHTA INDICA LEAF POWDER AND ITS EFFECTIVENESS IN CAPTURING FREE RADICALS OF CIGARETTE SMOKE

Agus Mulyono^{1,a)}

¹ *Department Physics, Universitas Islam Negeri Maulana Malik Ibrahi Malang.*

Email: ^{a)}gusmul@fis.uin-malang.ac.id

Abstract

Free radicals from cigarette smoke is a dangerous part that needs to be found a way to counteract it. The purpose of this research is to make a composite biofilter made from Azadirachta Indica to ward off/capture free radicals from cigarette smoke. This biofilter is made with Azadirachta Indica leaf powder added with polyethylene glycol as the matrix.

The biofilter was then seen for its physical characteristics, namely the density and porosity were tested using SEM. Furthermore, a biofilter membrane is used to filter cigarette smoke. Cigarette smoke that passes through the biofilter is then analyzed for its free radical content using ESR.

The results showed that the biofilter made from Azadirachta Indica leaves was able to absorb several types of suspected free radicals in cigarette smoke. Biofilters using PEG as a matrix with a mass of 0.9 and 1gr were the most effective in absorbing the suspected types of free radicals. SEM test showed an average pore size of 2-3 μm for a mass of 1gr with PEG as the matrix.

Keywords: *biofilter, cigarette smoke, Azadirachta Indica, free radicals*

INTRODUCTION

Cigarettes are one of the controversial products because of the pros and cons that arise in society. The many adverse effects such as the effects of addiction, health problems caused to the increasing death rate due to excessive cigarette consumption are being challenged by people in the world [1][2]. In fact, every May 30, the world community celebrates No Tobacco Day as a form of their protest against tobacco which is the main ingredient of cigarettes. On the other hand, from an economic point of view, there is no doubt about the prospect of the cigarette industry because it is very promising, especially regarding the amount of foreign exchange income to the country and providing employment opportunities for many people.[3].

Smoking can cause changes in the structure and function of the airways and lung tissue. Cigarette smoke will accelerate the decline in lung function and have a greater effect than dust on the respiratory tract[4].

Oxidative stress/damage from cigarette smoke exposure plays an important role in the development of tobacco smoke-induced diseases. Carbonyls and free radicals are the two main classes of oxidants in tobacco smoke[5].

Cigarette smoke consists of a mixture of chemical substances in the form of gas and particles dispersed in it. To date, various chemical substances have been isolated, the number of which reaches 3000 compounds in the tobacco leaf itself and reaches more than 4000 compounds in cigarette smoke.[6]. Most of these materials or compounds are toxic to various kinds of cells in our body. Toxic substances in the form of gases, namely in the form of carbon monoxide (CO), hydrogen cyanide (HCN), and nitrogen oxides. Meanwhile, toxic substances in the form of volatile chemicals such as nitrosamines and formaldehyde are found in cigarette smoke. These substances can exert their toxic effects by specific mechanisms and on certain cells or macromolecular units of cells, especially in the respiratory system.

There have been many epidemiological studies on the effects of smoking and it has been proven that smoking can increase the risk of developing COPD (Chronic Obstructive Pulmonary Disease), lung cancer, and cardiovascular diseases.[7].

Various diseases that exist in the body are caused by the presence of free radicals. Free radicals in cigarette smoke in high amounts Free radicals are unpaired atoms or molecules that are unstable, so they will look for partners by binding to other molecules around them.[8].

Azadirachta leaves have a fairly high antioxidant content[9][10], so that it can be used to make biofilters to capture free radicals in cigarette smoke. In this study, the leaves of the azadirachta plant will be used as materials for making biofilter composites to ward off free radicals in cigarette smoke.

MATERIALS AND METHODS

Making azadirachta indica leaf biofilter consists of several stages. The first step is to dry the leaves of Azadirachta indica using sunlight, then the material is ground and sieved using a 200 mesh sieve. The manufacture of this biofilter uses a solution of polyethylene glycol (PEG) as a matrix.

The powdered material was then mixed with 0.3ml of PEG as a matrix and stirred until homogeneous. Each sample used variations in the composition of Azadirachta indica leaf powder 0.7, 0.8, 0.9 and 1gr with a matrix of 0.3ml.

A homogeneous mixture of filler and matrix was then printed using a 7cm hose and dried at room temperature. If the sample can be removed from the mold then it is heated using an oven at 105⁰C for 20 minutes. This heating aims to remove the water content trapped in the biofilter.

then a biofilter is used to filter cigarette smoke. And then the smoke of cigarettes was analyzed for the type of free radicals using the ESR tool, and the best results from the ESR were analyzed for the porosity and density values using the SEM tool.

Testing of free radicals in filter cigarette smoke uses ESR (Electron Spin Resonance), first the instrument calibration is carried out using DPPH. The DPPH placed in the coil is then determined by the frequency value (f) and current value (I) which is then calculated for the g factor. and determined the type of suspected free radicals from cigarette smoke filters kretek cigarettes.




Figure 1. Research Flow

RESULT AND DISCUSSION

ESR detects 7 types of free radicals in non-filtered kretek cigarettes, namely Hydroperoxide, CO₂⁻, C, Peroxy, O₂⁻, CuOx, and CuGeO₃ as shown in table 1. After installation of the Azadirachta Indica leaf powder biofilter, the types of free radicals are obtained as in table 2 .

Table 1. Types of Suspected Smoke Free Radicals Cigarettes Filter Clove Cigarettes

No.	Types of Smoke-Free Radicals Kretek Cigarettes
1.	Hydroperoxide
2.	CO
3.	C
4.	Peroxy
5.	O
6.	CuOx
7.	CuGeO

Table 2. Types of suspected free radicals found in kretek cigarette smoke with Dirachta Indica powder biofilter

Test	Azadirachta Indica Mass (g)	Types of Free Radical						
		Hydroperoxide	CO ₂ ⁻	C	Peroxy	O	CuOx	CuGeO ₃
I	0.7						Stand	Stand
	0.8						Stand	Stand
	0.9							Stand
	1							Stand
II	0.7						Stand	Stand
	0.8						Stand	Stand
	0.9							Stand
	1							Stand
III	0.7						Stand	Stand
	0.8						Stand	Stand

0.9	Stand
1	Stand

Table 3. Examples of calculations to estimate the type of free radicals

Powder Azadirachta indica	f (Hz)	I (A)	B (T)	Factor-g	Suspected types of free radicals
	33.0	0.273	0.00115514	2.0410038	CuOx
	33.1	0.273	0.00115514	2.0471887	CuOx
	33.2	0.273	0.00115514	2.0533735	CuOx
	33.3	0.273	0.00115514	2.0595584	CuOx
	33.4	0.273	0.00115514	2.0657432	CuOx
	33.5	0.273	0.00115514	2.0719281	CuOx
	33.6	0.273	0.00115514	2.078113	CuOx
	33.7	0.273	0.00115514	2.0842978	CuOx
	33.8	0.273	0.00115514	2.0904827	CuOx
	33.9	0.273	0.00115514	2.0966675	CuOx
	34.0	0.273	0.00115514	2.1028524	CuOx
	34.1	0.273	0.00115514	2.1090373	CuOx
	34.6	0.272	0.00115091	2.1478291	CuGeO ₃
	34.7	0.272	0.00115091	2.1540367	CuGeO ₃
	34.8	0.272	0.00115091	2.1602443	CuGeO ₃

Biofilter characterization test to get the results of porosity and density. In this porosity test using SEM (Scanning Electron Microscope), the following results are obtained:




Figure 2. SEM results of Azadirachta Indica leaf powder biofilter 1gr

In the biofilter density test, mass and volume were measured and then the density value () was calculated, the following data were obtained:

Table 4. Porosity Biofilter leaf powder *Azadirachta Indica*

Azadirachta Indica Mass (g)	Dry Mass (g)	Fresh Mass (g)	Volume(ml)	Porosity(%)
0.7	1.10	1.17	1.035	6,763
0.8	1.15	1.23	1.046	7,648
0.9	1.19	1.28	1.055	8,530
1	1.23	1.33	1.058	9.451

Table 5. *Azadirachta Indica* leaf powder Biofilter density

Azadirachta Indica Mass (g)	m(g)	v(cm3)	(g/cm3)
0.7	1.10	1.035	1.068
0.8	1.15	1.046	1.099
0.9	1.19	1.055	1,128
1	1.23	1.058	1,162

Azadirachta Indica leaves are able to absorb free radicals in cigarette smoke, this is in line with several research results. *Azadirachta Indica* leaves have a high enough antioxidant content so they can catch free radicals[11][12][13][14].

Antioxidants from outside the body can be in the form of natural antioxidants and synthetic antioxidants, but synthetic antioxidants are not good for health. Therefore natural antioxidant properties were chosen. Natural sources of antioxidants can be obtained from the neem plant. The flavonoid content in the ethanolic extract of neem leaves has a strong IC50 DPPH with a value of 88.1273 g/mL. Neem leaf is known as a strong antioxidant and can protect the body's cell damage from oxidation in a polluted environment[15][16]. *Azadirachta Indica* leaf extract contains various bioactives including anti-oxidant, anti-bacterial, anti-fungal functions[17].

Free radicals in cigarette smoke have two different populations, in the tar phase and in the gas phase[18]. The antioxidant content in the biofilter is able to capture free radicals in cigarette smoke.

From the analysis using SEM, the pore size of the biofilter is between 2-3 μm , while the size of free radicals in cigarette smoke ranges from 20-430 nm.[19]. The absorption of free radicals in kretek cigarette smoke is not affected by the pores of the biofilter, but is influenced by the content of the biofilter. the higher the porosity value, the closer the distance between the particles so that the volume of the substance that flows will be less, while the low porosity value indicates the more volume of the substance that passes through the biofilter.[20].

So the absorption of free radicals of cigarette smoke is influenced by the composition of an appropriate composite. *Azadirachta Indica* leaf powder contains antioxidants that can affect the absorption of free radicals in kretek cigarette smoke.

CONCLUSION

Biofilter made from *Azadirachta* leaf powder is able to absorb several types of suspected free radicals in cigarette smoke. The absorption of free radicals from cigarette smoke is influenced by variations in the composition of the composite biofilter. *Azadirachta* leaf powder as a filler that contains antioxidants also affects the absorption of free radicals in kretek cigarette smoke. *Azadirachta* leaf powder biofilter with a mass of 0.9 and 1 g was more able to absorb free radicals in kretek cigarette smoke.

ACKNOWLEDGMENTS

The author would like to thank the State Islamic University of Maulana Malik Ibrahim Malang for the creating infrastructure to support this study.

REFERENCES

- [1] G. S. Becker, M. Grossman, and K. M. Murphy, "An empirical analysis of cigarette addiction," *Am. Econ. Rev.*, vol. 84, no. 3, pp. 396–418, 1994, doi: 10.7312/GROS17812-025/MACHINEREADABLECITATION/RIS.
- [2] J. W. McEvoy *et al.*, "Cigarette Smoking and Cardiovascular Events: Role of Inflammation and Inclinical Atherosclerosis from the Multiethnic Study of Atherosclerosis," *Arterioscler. Thromb. Vasc. Biol.*, vol. 35, no. 3, pp. 700–709, 2015, doi: 10.1161/ATVBAHA.114.304562.
- [3] F. F. K. Fitria, R.I.N.K Retno Triandhini, Jubhar C. Mangimbulude, "Merokok dan Oksidasi DNA," *Sains Med.*, vol. 5, no. 2, pp. 113–120, 2013, [Online]. Available: <http://jurnal.unissula.ac.id/index.php/sainsmedika/article/view/352>.
- [4] K. Khotimah, "THE CORRELATION BETWEEN THE DEGREE OF SMOKING BY BRINKMAN INDEX AND THE LUNG VITAL CAPACITY," Apr. 2016, Accessed: Nov. 14, 2021. [Online]. Available: <http://ners.unair.ac.id>.
- [5] S. M. Reilly *et al.*, "Brand variation in oxidant production in mainstream cigarette smoke: Carbonyls and free radicals," *Food Chem. Toxicol.*, vol. 106, pp. 147–154, Aug. 2017, doi: 10.1016/J.FCT.2017.05.035.
- [6] N. L. Benowitz, "Nicotine Addiction," <http://dx.doi.org/10.1056/NEJMra0809890>, vol. 362, no. 24, pp. 2295–2303, Jun. 2010, doi: 10.1056/NEJMRA0809890.
- [7] A. A. Lopes *et al.*, "Antioxidant action of propolis on mouse lungs exposed to short-term cigarette smoke," *Bioorg. Med. Chem.*, vol. 21, no. 24, pp. 7570–7577, Dec. 2013, doi: 10.1016/J.BMC.2013.10.044.
- [8] A. Santo, H. Zhu, and Y. R. Li, "Free Radicals: From Health to Disease," *React. Oxyg. Species*, no. October, 2016, doi: 10.20455/ros.2016.847.
- [9] D. Ezz-Din, M. S. Gabry, A. R. H. Farrag, and A. E. Abdel Moneim, "Physiological and histological impact of Azadirachta indica (neem) leaves extract in a rat model of cisplatin-induced hepato and nephrotoxicity," *J. Med. Plant Res.*, vol. 5, no. 23, pp. 5499–5506, 2011.
- [10] A. Khafid, S. Widodo, A. Suedy, and Y. Nurchayati, "Buletin Anatomi dan Fisiologi Volume 6 Nomor 1 Februari 2021," vol. 6, 2021.
- [11] A. K. Ghimeray, C. W. Jin, B. K. Ghimire, and H. C. Dong, "Antioxidant activity and quantitative estimation of azadirachtin and nimbin in Azadirachta Indica A. Juss grown in foothills of Nepal," *African J. Biotechnol.*, vol. 8, no. 13, pp. 3084–3091, 2009, doi: 10.4314/ajb.v8i13.60994.
- [12] A. I. Airaodion *et al.*, "Comparative Assessment of Phytochemical Content and Antioxidant Potential of Azadirachta indica and Parquetina nigrescens Leaves," *Asian Plant Res. J.*, vol. 2, no. March, pp. 1–14, 2019, doi: 10.9734/aprj/2019/v2i330045.
- [13] A. S. Li'aini, I. P. A. H. Wibawa, and I. N. Lugrayasa, "Karakterisasi Aktivitas Antioksidan Ekstrak Daun Mimba (Azadirachta Indica A. Juss) dari Desa Jagaraga, Kecamatan Sawan, Kabupaten Buleleng, Bali," *Bul. Plasma Nutfah*, vol. 27, no. 1, p. 51, 2021, doi: 10.21082/blpn.v27n1.2021.p51-56.
- [14] S. Simon, B. Yunianta, and M. Rifa'i, "Aktivitas Antioksidan Fraksi Metanol Ekstrak Daun Mimba (Azadirachta Indica Juss)," *Seniati*, vol. 3, no. 2085–4218, pp. 59–63, 2018.
- [15] G. Pandey, K. Verma, and M. Singh, "Evaluation of phytochemical, antibacterial and free radical scavenging properties of Azadirachta indica (neem) leaves," *Int. J. Pharm. Pharm. Sci.*, vol. 6, no. 2, pp. 444–447, 2014.
- [16] F. Rinaldi *et al.*, "Neem oil nanoemulsions: characterisation and antioxidant activity," <https://doi.org/10.1080/14756366.2017.1378190>, vol. 32, no. 1, pp. 1265–1273, Jan. 2017, doi: 10.1080/14756366.2017.1378190.
- [17] U. J. I. Fitokimia *et al.*, "Fakultas Teknik – Universitas Muria Kudus 523," pp. 523–529, 1999.
- [18] A. A. S. A. Sukmaningsih, S. Permana, D. J. D. H. Santjojo, A. Y. P. Wardoyo, and S. B. Sumitro, "The potency of java plum (Syzgium cumini) fruit extract as free radical scavenging in cigarette smoke," *AIP Conf. Proc.*, vol. 2155, no. September, 2019, doi:

10.1063/1.5125519.

- [19] M. Delaval, D. Egli, P. Schüpfer, C. Benarafa, M. Geiser, and H. Burtscher, “Novel instrument to generate representative e-cigarette vapors for physicochemical particle characterization and in-vitro toxicity,” *J. Aerosol Sci.*, vol. 129, pp. 40–52, Mar. 2019, doi: 10.1016/J.JAEROSCI.2018.11.011.
- [20] V. Nurmayanti and E. Hastuti, “KARAKTERISASI SIFAT FISIS MEMBRAN POLIMER Matrik Komposit(PMC) DARI KARBON AKTIF TEMPURUNG KELAPA UNTUK ADSORBSI LOGAM BERAT PADA MINYAK GORENG BEKAS,” *J. Neutrino*, vol. 0, no. 0, May 2014, doi: 10.18860/NEU.V0I0.2590.