

Factors Affecting the Response of Bali's Society to Earthquake Information Using Structural Partial Least Squares Equations

Sri Harini¹, Angga Dwi Mulyanto¹, Hisyam Fahmi¹, Ahmad Abtokhi²

¹Department of Mathematics, Faculty of Science and Technology, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

²Department of Physics, Faculty of Science and Technology, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

Abstract: Bali is a region prone to earthquakes caused by plate collision activity and back-blows from the subduction process of the Flores Ascending Fault. The geological structure of the Flores Ascending Fault in Northeast Bali triggered a large earthquake followed by a tsunami in June 2019 that spread across the south and north of the island. Due to the high potential for earthquake occurrences in Bali, a strategic planning is required to the level of earthquakes preparedness and give the earthquake information to the tourist visiting Bali. Community preparedness is, in fact, part of ensuring the safety and comfort of tourists. This research will examine the factors that affect the preparedness of the Balinese people responding to earthquake information issued by the Meteorology, Climatology, and Geophysics Agency. Data analysis was carried out using the Structural Equation Modeling-Partial Least Square (SEM-PLS) approach. The results of this study indicate the factors of the earthquake risk belief, community participation, critical awareness, social trust, earthquake knowledges, earthquake experience, participation in disaster education and training, and knowledge of disaster mitigation had a significantly positive effect on the preparedness of the Balinese people for earthquake disasters.

Keywords: earthquake, preparedness, Structural Equation Modeling, Partial Least Square.

使用结构偏最小二乘方程的影响巴厘岛社会响应地震信息的因素

摘要: 巴厘岛是一个容易发生板块碰撞活动和弗洛雷斯登高断裂俯冲过程引起的反吹地震的地区。巴厘岛东北部弗洛雷斯上升断层的地质结构引发了一场大地震,随后在 2019 年 6 月发生了海啸,波及整个岛屿的南部和北部。由于巴厘岛发生地震的可能性很高,因此需要对地震的准备水平进行战略规划,并将地震信息提供给来巴厘岛旅游的游客。实际上,社区准备是确保游客安全和舒适的一部分。这项研究将研究影响巴厘岛人民应对气象,气候和地球物理机构发布的地震信息的准备程度的因素。使用结构方程模型-偏最小二乘(扫描电镜)方法进行数据分析。这项研究的结果表明,地震风险信念,社区参与,批判意识,社会信任,地震知识,地震经验,参与灾害教育和培训以及减灾知识对减灾准备工作具有显著积极影响的因素。巴厘岛人民遭受地震灾害。

关键词: 地震, 准备, 结构方程建模, 偏最小二乘。

Received (date): 1 September 2020

Fund Project: LITAPDIMAS 2020, Universitas Islam Negeri Maulana Malik Ibrahim Malang

About the author: Sri Harini, Angga Dwi Mulyanto, Hisyam Fahmi, Department of Mathematics, Faculty of Science and Technology, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia; Ahmad Abtokhi, Department of Physics, Faculty of Science and Technology, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

Corresponding author: Sri Harini, sriharini@mat.uin-malang.ac.id

Introduction

Indonesia is one of the countries that has a complex tectonic arrangement so that it is one of the countries with the most active seismic frequencies in the world. A large number of tectonic activities occurred since Indonesia is surrounded by a Pacific ring of fire that extends from Aceh, Sumatra, Java, Bali, Nusa Tenggara, Sulawesi, Maluku, and North Maluku to Papua. It influences the confluence of four tectonic plates: the Eurasian Plate, the Pacific Plate, the Indo-Australia Plate, and the Philippine Sea Plate. The interaction of the meeting of the four plates causes a high frequency of earthquake activity in Indonesia.

Study [1], which covered 11 years (2009–2019) recorded 71,628 earthquakes spread across 34 provinces in Indonesia with an average tectonic earthquake activity of 6,512 earthquake events per year, 543 earthquake events per month, and 18 earthquake events per day. The results of sorting and visualizing the monthly earthquake charts for each province showed that the highest number of monthly earthquakes occurred in West Nusa Tenggara Province in August 2018, totaling 1,658 events. In line with this research, [2] examined the potential for earthquake-prone areas in the Regional Center 3 (RC3) area, including Bali and Nusa Tenggara, using cluster analysis. The results additionally show that Bali and West Nusa Tenggara are potentially prone to earthquake with high magnitude caused by plate collision activity and back-blows from the subduction process of the Flores Ascending Fault [3].

Paper [4] described the existence of a plate subduction zone in South Bali that substantially impacted the occurrence of several large earthquakes due to subduction activity. The earthquake occurred on May 13, 1857, in the North Bali region with a magnitude of 7.0 on the Richter scale and an epicenter at sea. This earthquake triggered a tsunami that killed 36 people. On January 21, 1917, another earthquake occurred, this one with a magnitude of 6.6 and the epicenter located in Southeast Bali. The death toll was 1,500, and it damaged 64,000 houses and palaces, destroyed 10,000 rice barns, and damaged 2,431 temples [5]. According to [6], this earthquake triggered a tsunami in Klungkung and Benoa of a height of up to two meters. The next earthquake occurred on October 13, 2011, with a magnitude of 6.8 and the epicenter located 143 km southwest of Nusa Dua. Felt in areas including Mataram, Malang, and Yogyakarta. This earthquake damaged several houses in Bali, Jember, Banyuwangi, and Lumajang, and also injured dozens of people in Denpasar, Kuta, and Nusa Dua. Then, on July 16, 2019, an earthquake with a magnitude of 6.2 occurred in southern Bali. It was centered on the sea, 80 km south of Kota Negara, Jembrana Regency. This earthquake was categorized as intermediate depth caused by the subduction activity of the Indo-

Australian Plate, which infiltrated the Eurasian Plate. The results of an analysis of the source mechanism show that this earthquake was generated by rock deformation with an *oblique thrust fault* [7]–[9].

Based on this background and the lack of public knowledge on disaster preparedness, it is necessary to conduct research related to earthquake prediction that requires intensive scientific effort to meet community needs and social demands. Although seismic research has been conducted for more than a century, research on earthquake predictions continues to be an exciting area of study [10].

A wide body of research exists on earthquakes, for instance, in Nepal [11]–[13], Indonesia [1], [2], [4], [14], and Christchurch [15]–[17]. However, not all research focuses on earthquake preparedness. However, Adhikari, Paton, Johnston, Prasanna, and McColl researched the modelling of earthquake hazard preparedness predictors in Nepal. They made a structural model and analyzed it with the SEM-PLS method. The study shows that the level of belief in earthquake risk among Nepalese individuals, communities, and institutions can be used to predict earthquake risk preparedness [11]. Earthquake preparedness modelling research was also carried out by [18] and [19] in the Canterbury Region of New Zealand. The research was based on an earthquake with a magnitude of 7.1 in New Zealand which destroyed more than 370,000 buildings, caused infrastructure damage and resulted in 185 deaths. The results showed that preparedness for survival was influenced by negative outcome expectations, community participation, critical awareness, earthquake belief/knowledge [20].

1 Research Design

The research design used the Structural Equation Modeling-Partial Least Square (SEM-PLS) approach with latent variables from research in [15] which are negative outcome expectancy, community participation, critical awareness, social trust, and earthquake knowledge. And we add 3 variables from [21] which are earthquake experience, participation in disaster education and training, and knowledge of disaster mitigation.

The measurement of the SEM-PLS model is a measurement of a formative model with two layers of measurement, which include measures at the construct level (latent variables) and efforts at the indicator level (manifest variables). In Figure 1, there are six latent variables, namely risk belief, community participation, critical awareness, belief, earthquake knowledge, and knowledge about earthquake disaster mitigation measured using a formative model. The remaining two variables, namely earthquake experience, participation in disaster education, and training, are single constructs

that can be measured directly. The formative examination in Figure 1 can be carried out in two stages.




Fig.1 Smart PLS Model Framework




Fig.2 Research Conceptual Model

In the first stage, a collinearity check is carried out using the variance inflation factor (VIF) value and checking the significance of the outer weight. After the examination of the outer model is complete, it is followed by an assessment of the measurement results of the structural model (inner model). There are five stages: Collinearity Assessment (using VIF), Structural Model Path Coefficients (using the t-test), Coefficient of Determination (using R²), Effect Size (using f²), and Predictive Relevance (using Q²) [22].

2 Analysis Results

2.1. Assessment of Formative Model Measurement Results (Outer Model)

The first step is to find the VIF value from the outer model. This is done to see whether there is

We are using formative and single construct (not reflective), so the step by step SEM PLS can be seen in Figure 2.

multicollinearity between indicators in a latent variable.

Table 1. VIF Outer

Indicator	VIF	Indicator	VIF
X1.1	2.410	X4.1	2.126
X1.2	2.319	X4.2	2.126
X1.3	2.216	X5.1	1.504
X2.1	1.272	X5.2	1.504
X2.2	1.272	X8.1	2.581
X3.1	1.272	X8.2	2.555
X3.2	1.297	X8.3	2.532
X3.3	1.334	X8.4	2.486
		X8.5	2.650

Based on Table 1, the VIF value for all indicators is less than 5, which shows that there is no indication of multicollinearity in each formative indicator. Thus, this model can be continued in examining the significance and relevance of outer weights with the condition that the p-value Outer Weight > alpha (0.05); however, if the value of the relevance of outer weights is not met, then the value can be used Outer Loading > 0.5 and p-value Outer Loading > alpha (0.05).

Table 2. Significant Outer Weight

Formative Indicators -> Latent Variable	Outer Weight	P-values
X1.1 -> X1 (Trust Risk)	0.346	0
X1.2 -> X1 (Trust Risk)	0.303	0
X1.3 -> X1 (Trust Risk)	0.471	0
X2.1 -> X2 (Society participation)	0.658	0
X2.2 -> X2 (Society participation)	0.508	0
X3.1 -> X3 (Critical Awareness)	0.444	0

X3.2 -> X3 (Critical Awareness)	0.457	0
X3.3 -> X3 (Critical Awareness)	0.389	0
X4.1 -> X4 (Confidence)	0.613	0
X4.2 -> X4 (Confidence)	0.461	0
X5.1 -> X5 (Earthquake Knowledge)	0.475	0
X5.2 -> X5 (Earthquake Knowledge)	0.647	0
X8.1 -> X8 (Knowledge About Earthquake Disaster Mitigation)	0.245	0
X8.2 -> X8 (Knowledge About Earthquake Disaster Mitigation)	0.218	0
X8.3 -> X8 (Knowledge About Earthquake Disaster Mitigation)	0.343	0
X8.4 -> X8 (Knowledge About Earthquake Disaster Mitigation)	0.199	0.001
X8.5 -> X8 (Knowledge About Earthquake Disaster Mitigation)	0.151	0.014

Table 2 shows that all formative indicators have a p-value < 0.05, so these indicators are suitable for measuring their latent variables.

2.2. Assessment of Structural Model Measurement Results

2.2.1. Assessment of Structural Model Measurement Results

Table 3 VIF Inner

Variable	Y1 (Earthquake Disaster Preparedness)	Disaster
X1 (Trust Risk)	2.323	
X2 (Society participation)	1.784	
X3 (Critical Awareness)	1.566	
X4 (Confidence)	2.362	
X5 (Earthquake Knowledge)	1.820	
X6 (Earthquake Knowledge)	2.547	
X7 (Participation in Disaster Education and Training)	2.013	
X8 (Knowledge About Earthquake Disaster Mitigation)	2.396	

Table 3 shows all inner VIF values <5, which means that there is no multicollinearity in all predictor variables.

2.2.2. Structural Model Path Coefficients

The structural model coefficient analysis is used to determine which variables have a significant effect. The assumptions are used to measure the level of significance of the variables using the standard p-value. If the p-value < α (0.05), then the relationship is significant, and if the p-value $\geq \alpha$ (0.05), then the relationship is not significant.

Table 4 Coefficients Inner Model

	Coefficient	P-values
X1 (Trust Risk) -> Y1 (Earthquake Disaster Preparedness)	0.156	0.000
X2 (Society participation) -> Y1 (Earthquake Disaster Preparedness)	0.092	0.000
X3 (Critical Awareness) -> Y1 (Earthquake Disaster Preparedness)	0.075	0.000
X4 (Confidence) -> Y1 (Earthquake	0.163	0.000

Disaster Preparedness)		
X5 (Earthquake Knowledge) -> Y1 (Earthquake Disaster Preparedness)	0.103	0.000
X6 (Earthquake Experience) -> Y1 (Earthquake Disaster Preparedness)	0.231	0.000
X7 (Participation in Disaster Education and Training) -> Y1 (Earthquake Disaster Preparedness)	0.160	0.000
X8 (Knowledge About Earthquake Disaster Mitigation) -> Y1 (Earthquake Disaster Preparedness)	0.213	0.000

Table 4 shows that risk belief, community participation, critical awareness, belief, knowledge of earthquakes, earthquake experiences, participation in disaster education and training, as well as knowledge of earthquake disaster mitigation, have a significant positive effect on the preparedness of the Balinese people in facing earthquake disasters.

2.2.3. Coefficient of Determination

The coefficient of determination is used to measure the accuracy of the SEM-PLS model in predicting factors that affect the preparedness of the Balinese people in the face of earthquakes. The results of the coefficient of determination (R^2) can be seen in Table 5. The R^2 value of 0.75 is a value with great predictive accuracy. An R^2 value of 0.50 is considered to have moderate predictive accuracy, and an R^2 value of 0.25 is considered to have weak predictive accuracy.

Table 5 Coefficient of Determination

Variable	R Square (R^2)
Y1 (Earthquake Disaster Preparedness)	0.898

Based on the results of Table 5, the R^2 value is 0.898, this indicates that the Balinese people already have an understanding of preparedness in the face of an earthquake.

2.2.4. Effect Size

To evaluate the coefficient of determination of all endogenous variables, the effect size (f^2) can be used. The difference between f^2 and R^2 is that f^2 is more specific for each exogenous variable. The results of the f^2 test can be seen in Table 6. In general, the effect size value is divided into three, namely a value of f^2 less than 0.05 has a small effect size, f^2 between 0.05-0.30 has a medium effect size, and f^2 greater than 0.30 has a large effect size.

Table 6 Effect Size

Y1 (Earthquake Disaster Preparedness)	
X1 (Trust Risk)	0.103
X2 (Society participation)	0.047
X3 (Critical Awareness)	0.035
X4 (Confidence)	0.110
X5 (Earthquake Knowledge)	0.057
X6 (Earthquake Experience)	0.205

X7 (Participation in Disaster Education and Training)	0.125
X8 (Knowledge About Earthquake Disaster Mitigation)	0.185

Based on the f^2 value in Table 6, community participation and critical awareness have a relatively small effect size (f^2 less than 0.05) on earthquake disaster preparedness. Meanwhile, risk belief, knowledge of earthquakes, earthquake experience, participation in education and training about earthquake experiences and knowledge of earthquake disaster mitigation have a moderate effect size (f^2 between 0.05 and 0.30).

2.2.5. Predictive Relevance

To evaluate the value of R^2 as a criterion for predictive accuracy, this study uses the Stone–Geisser’s Q^2 value. The value of Q^2 was obtained using a blindfolding procedure. The predictive relevance criterion (Q^2) is that if a Q^2 value less than 0.05 is considered to have little predictive relevance, then Q^2 between 0.05 and 0.30 has moderate predictive relevance, and Q^2 greater than 0.30 has large predictive relevance. The results of predictive relevance can be seen in Table 7.

Table 7. Predictive Relevance

Variable	SSO	SSE	$Q^2 (=1 - SSE/SSO)$
Y1 (Earthquake Disaster Preparedness)	400	52.131	0.870

Table 7 shows the predictive relevance value for earthquake disaster preparedness, which is very large with a Q^2 value of 0.870. This indicates that the variables of earthquake risk belief, community participation, critical awareness, belief, earthquake knowledge, earthquake experience, participation in disaster education, and training as well as knowledge about earthquake disaster mitigation is very influential on the Balinese people in earthquake disaster preparedness.

2.3. Discussion

Based on the results of the (SEM-PLS) analysis, it can be asserted that the more people believe in the risk associated with an earthquake, the more prepared they are for earthquake disasters and the greater the community's participation will be. The greater the critical awareness, the higher one's confidence. The more knowledge people have about earthquakes, the more prepared they will be. This confirms the research conducted by Adhikari, Paton, Johnston, Prasanna dan McColl [11], and Paton, Anderson, Becker and Petersen [15].

The more experience people have with earthquakes,

the more often people will participate in disaster counseling and training. Additionally, the more people understand earthquake disaster mitigation, the more they are prepared for earthquake disasters. This is a new finding developed from Kristanti's research [21], which discusses the variables of earthquake experience, participation in disaster education and training, and knowledge about disaster mitigation and earthquake preparedness. However, it does not measure the impact of earthquake experience, participation in disaster education and training, and knowledge about disaster mitigation on earthquake preparedness.

3 Conclusion

Based on the results of the SEM-PLS analysis, the predictive relevance value for Q^2 earthquake disaster preparedness is equal to 0.870. This shows that the variables of risk confidence, community participation, critical awareness, belief, earthquake knowledge and experience, participation in disaster education and training as well as knowledge about disaster mitigation significantly affect the Balinese people's earthquake preparedness. In other words, the more people believe, are critical and responsive to risks, the more prepared they are in the face of a disaster.

References

- [1] SABTAJI A. Statistik Kejadian Gempa Bumi Tektonik Tiap Provinsi Di Wilayah Indonesia Selama 11 Tahun Pengamatan (2009-2019) [Statistics of tectonic earthquake events each province in Indonesia territory for 11 years of observation (2009-2019)]. *Buletin Meteorologi, Klimatologi, dan Geofisika*, 2020, 1(2): 31-46.
- [2] HARINI S., FAHMI H., MULYANTO A. D., and KHUDZAIFAH M. The earthquake events and impacts mapping in Bali and Nusa Tenggara using a clustering method. IOP Conference Series: Earth and Environmental Science (EES), Bristol, UK: IOP Publishing, 2020, 456(1): 1-6.
- [3] KHOLIL A., ARIANI S.N., and RAMLI D. S. Disaster communication in 4.0 Era: Review of earthquake disaster mitigation in Lombok, West Nusa Tenggara. *Asian Journal of Environment & Ecology*, 2019, 11(1): 1-9. doi: 10.9734/ajee/2019/v11i130128
- [4] RUSNARDI P. R., JUNJI K., YUSUKE O., and HARI P. R. Seismic hazard analysis for Indonesia. *Journal of Natural Disaster Science*, 2012, 33(2): 59–70.
- [5] HOOYKAAS C. Religion in Bali. Leiden: E.J. Brill, 1973.
- [6] SOLOVIEV S. L. and GO C. N. A catalogue of tsunamis on the eastern shore of the Pacific Ocean (1513-1968). *Canadian Journal of Fisheries and Aquatic Sciences*, 1984, 5078: 1–294.
- [7] ANUGRAH S. D. and SUNARDI B. Seismic activity and tsunami potential in Bali-Banda Basin. Proceedings of the 3rd International Conference on Sustainable Built Environment, Melbourne: ICSBE, 2012: 1-10.
- [8] MCCAFFREY R. and NABELEK J. Earthquakes,

gravity, and the origin of the Bali Basin: an example of a nascent continental fold-and-thrust belt. *Journal of Geophysical Research*, 1987, 92(B1): 441–460.

[9] DIAZ N., SUARBAWA K. N., and MURSITANTYO A. Relokasi Gempabumi di Pulau Bali Bagian Utara Tahun 2015-2017 dengan menggunakan Metode Double Difference (DD) [Earthquake Relocation in Northern Bali Island in 2015-2017 using Double Difference Method (DD)]. *Bulletin of Physics*, 2018, 19(2): 64–72.

[10] VOTSI I., LIMNIOS N., PAPANIMITRIOU E., and TSAKLIDIS G. Earthquake statistical analysis through multi-state modeling. London and Hoboken: ISTE Ltd and John Wiley & Sons, 2019.

[11] ADHIKARI M., PATON D., JOHNSTON D., PRASANNA R., and MCCOLL S. T. Modelling predictors of earthquake hazard preparedness in Nepal. *Procedia Environmental Science, Engineering and Management*, 2018, 212: 910–917.

[12] SHRESTHA N., SHRESTHA S.N., PARALI B., DIXIT A.M., UPADHYAY M. Enhancing earthquake resilience of communities: an action by women's groups in Nepal. *Disaster Prevention and Management*, 2018, 28(1): 84-92. doi: 10.1108/DPM-07-2018-0217

[13] OKITA Y. and SHAW R. Effects of the classification system in international SAR: The case of the 2015 Nepal earthquake. *Disaster Prevention and Management*, 2019, 28(3): 359–370.

[14] KUSUMANINGSIH W., MURDANA N., PURBA H., and WANARANI A. Rehabilitation strategies after 2004 Aceh earthquake and tsunami disaster in Indonesia: Case report. *Annals of Physical and Rehabilitation Medicine*, 2018, 2018: e520.

[15] PATON D., ANDERSON E., BECKER J., and PETERSEN J. Developing a comprehensive model of hazard preparedness: Lessons from the Christchurch earthquake. *International Journal of Disaster Risk Reduction*, 2015, 14(1): 37–45.

[16] MACGILL V. R. D. The Christ Church earthquakes' impact on the convergence gathering. *Kybernetes*, 2015, 44(8–9): 1324–1330.

[17] MONTGOMERY R. Filling the gaps from the Christchurch earthquakes 2010-2013: Greening the rubble and the MT Pleasant Community Response Plan as two local initiatives. *Community, Environment and Disaster Risk Management*, 2013, 14(12): 43-78.

[18] ENIA J. Rules versus discretion: Comparing disaster declaration institutions in the Philippines and Indonesia. *International Journal of Disaster Risk Reduction*, 2016, 16: 158–166. doi: 10.1016/j.ijdr.2016.02.010

[19] POTTER S. H., BECKER J. S., JOHNSTON D. M., and ROSSITER K. P. An overview of the impacts of the 2010-2011 Canterbury earthquakes. *International Journal of Disaster Risk Reduction*, 2015, 14(1): 6–14.

[20] MORGAN J., BEGG A., BEAVEN S., SCHLUTER P., JAMIESON K., JOHAL S., JOHNSTON D., SPARROW M. Monitoring wellbeing during recovery from the 2010-2011 Canterbury earthquakes: The CERA wellbeing survey. *International Journal of Disaster Risk Reduction*, 2015, 14(1): 96–103.

[21] KRISTANTI, K. Kesiapsiagaan Masyarakat Terhadap Bencana Gempa Bumi di Dusun Piring Desa Srihardono Kecamatan Pundong Kabupaten Bantul Yogyakarta [Community Preparedness for Earthquake

Disaster in Pereng Hamlet, Srihardono Village, Pundong District, Bantul Regency, Yogyakarta]. Yogyakarta: Yogyakarta State University, 2013.

[22] HAIR J. F., HULT G. T. M., RINGLE C. M., and SARSTEDT M. A Primer on Partial Least Squares Structural Equation Modeling (PLS-SEM). California: SAGE Publications, Inc., 2013.

参考文献:

[1] SABTAJI A. 该地区各省的构造地震事件统计印度尼西亚在 11 年的观察期间 (2009-2019) [印度尼西亚各省的构造地震事件统计数据为期 11 年 (2009-2019)。气象, 气候学和地球物理学简报, 2020, 1 (2) : 31-46。

[2] HARINI S., FAHMI H., MULYANTO A. D. 和 KHUDZAIFAH M. 巴厘岛和努沙登加拉邦的地震事件和影响图采用聚类方法。眼压会议系列: 地球与环境科学 (EES), 英国布里斯托尔: 眼压出版, 2020, 456 (1) : 1-6。

[3] KHOLIL A., ARIANI S.N.和 RAMLI D. S. 4.0 时代的灾害通讯: 西努沙登加拉省龙目岛的减震研究。亚洲环境与生态学报, 2019, 11 (1) : 1-9。doi: 10.9734 / ajee / 2019 / v11i130128

[4] RUSNARDI P. R., JUNJI K., YUSUKE O. 和 HARI P. R. 印度尼西亚的地震灾害分析。自然灾害科学杂志, 2012, 33 (2) : 59–70。

[5] HOOYKAAS C. 巴厘岛宗教。莱顿: E.J.布里尔 (1973)。

[6] SOLOVIEV S. L. 和 GO C. N. 在太平洋东海岸 (1513-1968) 的海啸目录。加拿大渔业与水生科学杂志, 1984, 5078: 1–294。

[7] ANUGRAH S. D. 和 SUNARDI B. 巴厘岛-班达盆地的地震活动和海啸潜力。第三届可持续建筑环境国际会议论文集, 墨尔本: ICSBE, 2012: 1-10。

[8] MCCAFFREY R. 和 NABELEK J. 地震, 重力和巴厘岛盆地的起源: 新生的大陆褶皱-冲断带的例子。地球物理研究杂志, 1987, 92 (B1) : 441-460。

[9] DIAZ N., SUARBAWA KN 和 MURSITANTYO A. 洛洛卡西-彭巴米-迪普劳巴厘岛年度北部 2015-2017 年两次差分 (DD) [2015-2017 年巴厘岛北部岛屿地震的迁移, 采用了双重差异方法 (DD)]。物理学报, 2018, 19 (2) : 64-72。

[10] VOTSI I., LIMNIOS N., PAPANIMITRIOU E. 和 TSAKLIDIS G. 通过多状态建模进行地震统计分析。伦敦和霍博肯: ISTE 有限公司和约翰·威利父子, 2019 年。

[11] ADHIKARI M., PATON D., JOHNSTON D., PRASANNA R. 和 MCCOLL S. T. 为尼泊尔的地震灾害准备预测建模。普罗迪娅环境科学, 工程与管理, 2018, 212: 910-917。

[12] SHRESTHA N., SHRESTHA S.N., PARALI B., DIXIT A.M., UPADHYAY M. 增强社区的抗灾能力: 尼泊尔妇女团体的一项行动。防灾与管理, 2018, 28 (1) : 84-92。doi: 10.1108 / DPM-07-2018-0217

[13] OKITA Y. 和 SHAW R. 分类体系在国际 SAR 中的影响: 2015 年尼泊尔地震案例。防灾与管理, 2019, 28 (3) : 359–370。

[14] KUSUMANINGSIH W., MURDANA N., PURBA H.

和 WANARANI A. 印度尼西亚 2004 年亚齐地震和海啸灾难后的修复策略：病例报告。物理与康复医学年鉴，2018，2018：e520。

[15] PATON D.， ANDERSON E.， BECKER J. 和 PETERSEN J. 建立灾害防范的综合模型：克赖斯特彻奇地震的教训。国际减少灾害风险杂志，2015，14（1）：37-45。

[16] MACGILL V. R. D. 基督城地震对融合聚集的影响。控制网，2015，44（8-9）：1324-1330。

[17] MONTGOMERY R. 填补 2010-2013 年克赖斯特彻奇地震的空白：绿化瓦砾和公吨宜人社区应对计划是两个地方性举措。社区，环境与灾害风险管理，2013，14（12）：43-78。

[18] ENIA J. 规则与自由裁量权：比较菲律宾和印度尼西亚的灾难宣告机构。国际减少灾害风险杂志，2016，16：158-166。doi：10.1016/j.ijdr.2016.02.010

[19] POTTER S. H.， BECKER J. S.， JOHNSTON D. M. 和 ROSSITER K. P. 概述 2010-2011 年坎特伯雷地震的影响。国际减少灾害风险杂志，2015，14（1）：6-14。

[20] MORGAN J.， BEGG A.， BEAVEN S.， SCHLUTER P.， JAMIESON K.， JOHAL S.， JOHNSTON D.， SPARROW M. 在 2010-2011 年坎特伯雷地震的恢复过程中监控福祉：CERA 福祉调查。国际减少灾害风险杂志，2015，14（1）：96-103。

[21] KRISTANTI， K. 日惹，班图摄政区，蓬东区，斯里哈多诺村，佩伦哈姆雷特，地震灾民的社区准备[邦东拉吉，邦东省瑜 gy 庞加蒂，塞尔哈多诺村，佩伦哈姆雷特的地震灾难社区准备，班图摄政，邦东加里塔吉。日惹：日惹州立大学，2013 年。

[22] HAIR J. F.， HULT G. T. M.， RINGLE C. M. 和 SARSTEDT M. 偏最小二乘结构方程建模（扫描电镜）入门。加利福尼亚：智者出版物，公司，2013 年。

